


HL68H.0/50


Atika slivnik sa bitumenskom prirubnicom i priključnom cijevi DN50



Atika slivnik sa bitumenskom prirubnicom za bitumenske hidroizolacije i priključnom PP cijevi DN50



Tehnički crtež



TEHNIČKI PODACI

materijal	PP, Bitumen	visina ugradnje
dimenzija (mjera)	DN50	nastavak (umetak)
učinak / kapacitet	0,48 l/sec	rešetka dotoka
težina	1,662	klasa opterećenja

GLAVNI PODACI

rezervni (nadoknadni) dijelovi

**HL068.10E**

PP- priključna cijev DN110 za atika slivnike serije HL68

pribor

**HL068.1E**

Hvatač lišća za atika slivnike serije HL68

**HL068.1Safe**

Hvatač lišća za sekundarnu odvodnju za atika slivnike serije HL68

**HL163**

Odvodni element za atika slivnike serije HL68

**HL340N**

Produžni element 80mm/d 110mm uklj. O-Brтва

**HL85N**

Nastavni element sa prirubnicom i brtvom O-ring

**HL163.1**

Procjedni prsten za serije HL68

**HL163Safe**

Odvodni element sa funkcijom sekundarne odvodnje za atika slivnike serije HL68

**HL164**

Uljevni element sa brtvom za atika slivnike serije HL68

**HL3000**

Nastavni element d 110mm/okvir od INOXA 121x121mm/115x115mm Sistem "KLIK-KLAK" i zaštita okvira

**HL0510.7EKK**

Sifonski umetak komplet za sistem "KLIK-KLAK"

**HL619**

Pričvrсни set "FixT"

**HL85NH**

Nastavni element sa bitumenskom prirubnicom i protupovratnom O-Ring-brtvom

**HL3020**

Vidljivi dio za umetanje pločice d 110 mm, INOX-okvir 132x132mm / 112x112mm

**HL090.4EKK**

Protuzadahni umetak (klapna)

**HL37N**

Završni element d 110mm/123x123mm/115x115mm. Građevinska zaštita sadržana u isporuci.

**HL0510.7E**

Sifonski umetak komplet

**HL090.4E**

Protuzadahni umetak (klapna)

**HL39**

Završni element d110mm/147x147mm/140x140mm

**HL0300.1SE**

Uljevna rešetka od INOXA V4A 140x140mm

**HL0300.3E**

Uljevna rešetka mesing-polirana 140x140mm

**HL0300.4E**

Uljevna rešetka od INOXA, bijela 140x140mm

**HL39G**

Završni element d110mm/lijevano željezni okvir 150x150mm/137x137mm lijevano željezna rešetka

PODACI O PAKIRANJU**DOWNLOADS**

TLAK	HL68H_0_50_pr	max.
Oglas (WEB)	HL68H_0_50_B	640x480/300dpi
Foto Parts List	HL68H_0_50_gr	150x150/72dpi
Tehnički crtež	HL68H_0-50_1_b	pdf
Tehnički crtež	HL68H_0-50_1_b	png
CAD	HL68H.0-50_2_b1	dxf
primjer ugradnje	HL68H_0_PZ	pdf
other	HL68_Datasheet.pdf	Discharge capacity (en)